



Cleaning, Care & Maintenance

Cleaning, care and maintenance of stainless steel

Stainless steel is a low maintenance material but not maintenance free. Providing the grade that best fits the application is selected, appropriate fabrication and installation procedures are followed and regular cleaning undertaken, its aesthetic appeal and long life will be achieved.

What is tea staining?

ASSDA defines Tea Staining as the discolouration of the surface of stainless steel caused by corrosion. It is a cosmetic issue that does not affect the structural integrity of life of the stainless steel. Tea staining occurs most commonly within 5km of coastal areas, however, it may also occur in polluted urban environments.

Why is maintenance necessary?

Surface contamination in the form of deposits must be prevented. These deposits may be minute particles of iron or rust from other sources such as tools previously used on Carbon steel. There are also naturally occurring atmospheric conditions which produce deposits, such as salt from marine environments. The more aggressive the Environment, the more regular, the cleaning program will be necessary.

Maintenance program

The cleaning frequency of stainless steel depends on four points:

1. The environment
2. Position of the stainless steel structure
3. Stainless steel surface finish and structure design
4. Client's expectations

A rule of thumb for cleaning external stainless steel is when you clean the surrounding windows also clean the stainless steel.

A guide to specifying and cleaning external stainless steel

Environmental Grade 304 Grade 301 - Clean Inland 3-6 months 6-12 months

Polluted urban/industrial not suitable 6-12 months

Coastal/Marine (not splashed) Not suitable 3-6 months

Source: ASSDA Note: Rainwater is an effective natural cleaner, stainless steel that does not get rained upon will need more frequent cleaning.

Cleaning

Wash surface of stainless steel (both surfaces if stainless steel mesh) with soap or mild detergent and warm water. Rinse in clean cold water and dry. Cleaning to be Undertaken in accordance with above table.

Important stainless steel fabrication information

Stainless steel can be contaminated by carbon steel which will lead to corrosion. Ideally, a fabricator will have dedicated workshop and tools for stainless steel only.

Contamination can be picked up from:

- Grinding wheels, wire brushes and finishing belts
- Steel storage racks
- Tooling used with other metals
- Contamination from grinding or welding sparks from nearby carbon steel fabrication.

It is recommended that when stainless steel is to be used for external purposes that it be electro polished.

For further information please refer to: The Australian Stainless Steel Development Association (ASSDA) www.assda.asn.au

Please see a direct link to their technical FAQ's <http://www.assda.asn.au/technical-info/technical-faqs>

Christchurch

P 0800 880 233

F 0800 880 234

sales@advanced.eng.co.nz

Brisbane

P 61 7 3713 7744

F 61 7 3713 7788

sales@advanced-eng.com.au

Melbourne

P 61 3 9363 1577

F 61 3 9363 6099

sales@advanced-eng.com.au